

MATERIAL SAFETY DATA SHEET

1 OF 2

Section I: IDENTIFICATION

Product Name: QuickLink III, Solution II
Neat Stain Hematology

Date Prepared: 02/15/02 *Date Revised*:* 11/01/06

Item Number(s): 5400150, 400160, 400180,
400181, 400220

Emergency Phone, Infotrac: 800-535-5053

Section II: HAZARDOUS INGREDIENTS

<i>Non-Hazardous Component(s):</i>	<i>CAS Number</i>	<i>OHSA PEL, ACGIH TLV/STEL</i>	<i>NFPA</i>	
Methylene Blue	7220-79-3	NA	Health	0
Potassium Phosphate	7778-77-0	NA	Flammability	0
Sodium Phosphate	10049-21-0	NA	Reactivity	0

Section III: PHYSICAL DATA

<i>Boiling Point:</i>	212°F	<i>Specific Gravity (H₂O = 1):</i>	~1
<i>Vapor Pressure mm Hg/20 °C:</i>	NE	<i>Percent Volatile by Vol:</i>	NA
<i>Vapor Density (Air 1:1):</i>	NE	<i>Evaporation Rate (ether = 1):</i>	>1
<i>Solubility in H₂O:</i>	Complete	<i>Appearance & Odor:</i>	Blue liquid/odorless

Section IV: FIRE/EXPLOSION HAZARD

Flash Point: Non-Flammable *Flammable Limits:* LEL: NA UEL: NA

Extinguishing Media: Water spray, dry chemical, CO₂ and foam

Special Fire Fighting Procedures: Wear protective clothing with NIOSH approved breathing apparatus. Products of combustion may be harmful in a fire situation. Do not use direct water stream.

Unusual Fire & Explosion Hazards: None

Section V: REACTIVITY

Stability: Stable *Material to Avoid:* None

Hazardous Decomposition or Byproducts: Oxides of carbon and possible chlorine fumes

Hazardous Polymerization: Does not occur *Conditions to Avoid:* Normal Laboratory Care

Section VI: HEALTH HAZARDS

Routes of Entry: Inhalation, Skin and Ingestion

Acute/Chronic: Product is not expected to cause health hazards when utilizing good laboratory practices.

Carcinogenicity: Not classified as a human carcinogen.

Signs/Symptoms of Exposure: Vision blurring, drowsiness and headache.

MATERIAL SAFETY DATA SHEET

QuickLink III, Soln II, 2 OF 2

Section VI: HEALTH HAZARDS

Emergency First Aid:

Skin: Remove contaminated clothing. Wash affected area with soap and water.

Eyes: Thoroughly flush eyes with water. Contact a physician if irritation persist.

Ingestion: Rinse mouth with water, provided person is conscious and contact a physician.

Inhalation: Remove person to fresh air. If not breathing, give artificial respiration and contact physician.

Section VII: SAFE HANDLING

Chemical Release or Spill: Isolate the spill area with sand, or other absorbent material. Place all contaminated material in a closed container for disposal.

Waste Disposal Method: All liquid and or contaminated material should be disposed of in DOT approved waste containers. Comply with all Federal, State and Local regulations for disposal.

Precautions for Handling and Storing: Normal Laboratory Care

Section VIII: CONTROL MEASURES

Respiratory Protection: Not normally required.

Ventilation: Mechanical exhaust is sufficient

Protective Gloves: Chemical resistant *Eye Protection:* Safety Glasses

Other Protective Clothing or Equipment: Normal laboratory apparel suggested by Good Laboratory Practices

Work/Hygienic Practices: Wash thoroughly with soap and water after handling.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. HealthLink shall not be held liable for any damage resulting from handling or contact with this product.

*Change due to customer request. No substantial changes since prepared date.

HealthLink
3611 St. Johns Bluff Road, Suite 1, Jacksonville, FL 32224
904-996-7758